

Crimping pliers - CRIMPFOX-TC 4

1212113

<https://www.phoenixcontact.com/de/produkte/1212113>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Crimping pliers, for CK 1,6-ED..., CK 2,5-ED..., CK 4,0-ED... turned contacts, 4 marked die stations, unlockable pressure lock, lateral entry, incl. positioning tool

Your advantages

- Crimping pliers for processing turned contacts
- The integrated positioning tool ensures that the contacts are perfectly aligned in the die
- Marked die stations for precise processing of corresponding cross sections

Crimping pliers - CRIMPFOX-TC 4



1212113

<https://www.phoenixcontact.com/de/produkte/1212113>

Commercial Data

Item number	1212113
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	N2 - Druck.Zubh.+HandWKZ
Product Key	BH3135
Catalog Page	Page 432 (C-3-2019)
GTIN	4046356454018
Weight per Piece (including packing)	723,3 g
Weight per Piece (excluding packing)	723,3 g
Customs tariff number	82032000
Country of origin	SE

Crimping pliers - CRIMPFOX-TC 4



1212113

<https://www.phoenixcontact.com/de/produkte/1212113>

Technical Data

Notes

Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Product type	Crimping tool
Compression	Square crimp

Crimping position 1

Min. cross section	0.14 mm ²
Max. cross section	1 mm ²
AWG min	26
AWG max	18

Crimping position 1

Max. cross section	1.5 mm ²
AWG max	16

Crimping position 1

Max. cross section	2.5 mm ²
AWG max	14

Crimping position 1

Max. cross section	4 mm ²
AWG max	12

Connection data

Conductor connection

Cross section range, metric	0.14 mm ² ... 4 mm ²
Cross section range AWG	26 ... 12

Dimensions

Width	25 mm
Height	68 mm
Length	256 mm

Material specifications

Color	black
Material	STEEL

Crimping pliers - CRIMPFOX-TC 4



1212113

<https://www.phoenixcontact.com/de/produkte/1212113>

Approvals



EAC

Approval ID: RU x-DE.xx08.B.02974

Crimping pliers - CRIMPFOX-TC 4



1212113

<https://www.phoenixcontact.com/de/produkte/1212113>

Classifications

ECLASS

ECLASS-9.0	21043811
ECLASS-10.0.1	21043811
ECLASS-11.0	21043811

ETIM

ETIM 8.0	EC000168
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Crimping pliers - CRIMPFOX-TC 4

1212113

<https://www.phoenixcontact.com/de/produkte/1212113>



Accessories

Replacement die

Replacement die - CRIMPFOX-TC 4/DIE - 1212295

<https://www.phoenixcontact.com/de/produkte/1212295>

Spare die for CRIMPFOX-TC 4



Replacement spring

Replacement spring - CRIMPFOX/ SPR-1 - 1212069

<https://www.phoenixcontact.com/de/produkte/1212069>

Spare recuperating spring



Crimping pliers - CRIMPFOX-TC 4

1212113

<https://www.phoenixcontact.com/de/produkte/1212113>



Contact removal tool

Contact removal tool - UNIFOX RT-CK 1.6 - 1072069

<https://www.phoenixcontact.com/de/produkte/1072069>



Contact removal tool, for turned and rolled CK- 1.6-... contacts

Assembly tool

Assembly tool - UNIFOX MT-CK 1.6/2.5 - 1089092

<https://www.phoenixcontact.com/de/produkte/1089092>



Assembly tool, for CK 1.6... crimp contacts for small conductor cross sections

Crimping pliers - CRIMPFOX-TC 4

1212113

<https://www.phoenixcontact.com/de/produkte/1212113>



Contact removal tool

Contact removal tool - UNIFOX RT-CK 2.5 - 1072067

<https://www.phoenixcontact.com/de/produkte/1072067>



Contact removal tool, for turned CK 2,5... contacts

Contact removal tool

Contact removal tool - UNIFOX RT-CK 4.0 - 1072064

<https://www.phoenixcontact.com/de/produkte/1072064>



Contact removal tool, for rotated CK-4,0-... contacts

Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstraße 8
D-32825 Blomberg
+49 52 35/3-1 20 00
info@phoenixcontact.de